

ネダプラチン+ドセタキセル

day

| 薬剤名     | 投与量      | 投与方法 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 |
|---------|----------|------|---|---|---|---|---|---|---|---|---|----|----|----|----|----|----|----|----|----|----|----|----|
| グラニセトロン | 3mg      | 点滴静注 | ↓ |   |   |   |   |   |   |   |   |    |    |    |    |    |    |    |    |    |    |    |    |
| デキサメタゾン | 9.9mg    | 30分  |   |   |   |   |   |   |   |   |   |    |    |    |    |    |    |    |    |    |    |    |    |
| ドセタキセル  | 60mg/m2  | 点滴静注 | ↓ |   |   |   |   |   |   |   |   |    |    |    |    |    |    |    |    |    |    |    |    |
| 5%ブドウ糖液 | 250ml    | 60分  |   |   |   |   |   |   |   |   |   |    |    |    |    |    |    |    |    |    |    |    |    |
| ネダプラチン  | 100mg/m2 | 点滴静注 | ↓ |   |   |   |   |   |   |   |   |    |    |    |    |    |    |    |    |    |    |    |    |
| 生理食塩液   | 500ml    | 90分  |   |   |   |   |   |   |   |   |   |    |    |    |    |    |    |    |    |    |    |    |    |
| 生理食塩液   | 500ml    | 点滴静注 | ↓ |   |   |   |   |   |   |   |   |    |    |    |    |    |    |    |    |    |    |    |    |
|         | 90分      |      |   |   |   |   |   |   |   |   |   |    |    |    |    |    |    |    |    |    |    |    |    |
| ソルデム3A  | 500ml    | 点滴静注 | ↓ |   |   |   |   |   |   |   |   |    |    |    |    |    |    |    |    |    |    |    |    |
|         |          | 90分  |   |   |   |   |   |   |   |   |   |    |    |    |    |    |    |    |    |    |    |    |    |

催吐性リスク 中等度